

# GBC® eWire™

## Print, Punch and Bind All Inline.

The first fully automated inline binding system using traditional twin-loop wire binding eliminates the need for manual binding. The GBC® eWire™ runs inline with selected Xerox® printers and the GBC® AdvancedPunch™ Pro, so your books are produced seamlessly – from printing to punching to a finished wire-bound book.



The GBC® eWire™ is the first fully inline mechanical binding system for creating twin-loop wire-bound booklets. This unique solution combining the GBC® AdvancedPunch Pro and GBC® eWire™ eliminates separate punching, collating and binding operations so you can initiate a fully automated workflow at the touch of a button. And your print facility can create professionally bound documents as quickly and easily as they can be printed. Whether you're producing high-end proposals for professional bids, corporate manuals or general booklets for healthcare, real estate or legal applications, wire binding provides strong, durable documents combined with an attractive and professional appearance.

### FEATURES

- Combines printing, punching, collating and twin-loop binding into one integrated process
- Seamlessly connects with a variety of Xerox® production and light production presses and the GBC® AdvancedPunch™ Pro
- Produces wire-bound applications such as calendars and books in 216 mm x 279 mm and A4
- Provides attractive layflat output for ease of use
- Binds a variety of sheet sizes and weights up to 300 gsm
- Ability to use clear covers and tabs on selected Xerox printers

### BENEFITS

- Enhances your print facility's offerings by enabling seamless production of wire-bound documents at the touch of a button
- Creates booklets, reports, directories, educational workbooks and manuals, plus speciality books including cookbooks and children's books
- Saves significant time over offline production and reduces labour costs with an efficient, inline workflow

Reduces touchpoints and saves on tangled wires and waste associated with pre-cut wire and cartons

- Twin-loop supply spool can be loaded and unloaded with ease

# GBC® eWire™

## Print, Punch and Bind All Inline



### POWER REQUIREMENTS

- 115 VAC, 60 Hz
- 230 VAC, 50 Hz

### DIMENSIONS

- 890 mm width
- 1,040 mm height
- 740 mm depth

### WEIGHT

- 226 kg

### PAPER TYPE

- Supports coated and uncoated stocks

### PAPER WEIGHTS

- 75-300 gsm

### PAPER SIZE (MIN/MAX)

- 216 mm x 279 mm and A4
- Bypass mode up to 330 mm x 488 mm

### BOUND BOOK SIZE

- 7-80 sheets 75 gsm

For the eWire to receive and bind punched sheets, the GBC® AdvancedPunch™ Pro with an eWire die set is required in the total configuration. Please consult your Xerox representative for additional information regarding configurations and supplies

Contact your Xerox representative for details and to find out more about our finishing options, or go to [xerox.co.uk/en-gb/digital-printing/print-finishing-solutions](http://xerox.co.uk/en-gb/digital-printing/print-finishing-solutions)

### PUNCHED SHEET CONFIGURATIONS

Paper Size	Punched Edge	Number of Holes
216 mm x 279 mm	Long	32
A4 (297 mm x 210 mm)	Long	34

### SUPPLIES

<b>Type</b>	Continuous wire spool
<b>Spool Size</b>	390 mm x 166 mm (diameter x width)
<b>Colours</b>	Black, silver, white
<b>Twin-Loop Wire (quantity per spool)</b>	Six wire sizes, 3:1 pitch (3 loops per inch) Letter books: 32 loops A4 books: 34 loops (Loops and Book Count +/- 3%)

Element Size	Books per Spool (letter)	Max. Document Thickness (mm)
A	522 books (7-30 sheets)	3
B	325 books (31-50 sheets)	5
C	256 books (51-60 sheets)	6
D	184 books (61-70 sheets)	7
E	136 books (71-80 sheets)	8

Note: Sheet capacity based on 75 gsm paper; subtract 8-10 sheets to accommodate covers.